MINERAL SURVEY No. 3987

ARIZONA. Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

ELMER W. WELLS	
KNOWN AS THE	
OMAR	
BIG BUG	Mining District
YAVAPAI County, ARIZO	
Section 36 Unsur., Township 13 N.	
Surveyed under instructions dated July 27.	
byJ, WILLIAM	WAARA
	U. S Mineral Surveyor.
Claim located SEE LOCATION NOTICES	
Survey commenced July 30	, 1925
Survey completed Aug. 5	, 19 25
Address of claimant E.W.Wells, Prescott	Arizona.
DATES OF AMENDED LOCATION	rs.
July 24th, 1925	
6—822	

MINERAL SURVEY NO. 3987

OMAR LODE

Beginning at Cor.No.1 identical with Cors. No. 3-1-4 Starlight, Peerless and Jump Off lodes respectively of Sur.No. 1949, a granite stone 6x8x10 inches exposed with a substantial mound of stone alongside; chiseled 0 1 3987 S 3, P 1, J 0 4 1949 with cross on top for exact corner point, whence;

The South 1/4 corner Sec. 36 T.13 N.R.1 W of the Gila and Salt River Base and Meridian brs. S.146-05-20"E. 3914.5 feet.

No other bearings available. . . .

Thence N. 57°-55'W.

293.5 Southwest Center end, a mound of stone. .

TO COR. NO. 2, identical withCor.No.1 Jump Off lode Sur. No.1949, situated on line 1-2 Clipper lode Sur.No. 1949 S.31°-55'W. 594.3 ft. from Cor.No.1, a syenite stone 6x8x12 inches exposed with a substantial mound of stone alongside; chiseled J O 1 1949, O 2 3987 with cross on top for exact corner point.

No bearings available.

594.3

Thence N.31°-55'E.

TO COR. NO.3, identical with Cor. No.1 Clipper lode Sur. No.1949, and Cor.No. 2 Galena lode Lot No. 41, a diorite stone 8xl0xl2 inches exposed with a substantial mound of stone alongside; chiseled 0 3 3987, G.L.No.II, C 1 1949 with cross on top.for exact corner point.

No bearings available.

Thence N.71°-07'E.

TO COR. NO.4, identical with Cor. No. 2 Comstock lode
Sur. No. 1949, a granite stone 8x12x14 inches exposed
with a substantial mound of stone alongside; chiseled
C 2 1949, O 4 3987 with cross on top for exact corner
point.
N.W.Cor. of location, a monument 3 ft. high by 3 ft. base,
brs. N. 57° 55' W. 280 ft.
No bearings available.

30-9AI.

Thence S. 57°-55'E.

2.28 Intersect line 1-2 Galena lode Lot No.41, N.71°-21'E.

435.14 feet from Cor. No.2. and 1.26 ft. from its intersection with line 2-3 Comstock lode, Sur. No. 1949

. 21.7 North East Center end, a mound of stone.

twelve inches in the ground with a substantial mound of stone alongside; chiseled 0 5 3987 with cross on topfor exact corner point, whence

A granite rock in place 4x2x2 ft. exposed and chiseled .Bx R O 5 3987 brs.\N.55°-15'W. 17.5 ft.

. and making Thence S: 31 °-43'W.

212.5 Intersect line 2-3 Comstock lode Sur. No.1949 S:24°-35'E. 386.6 feet from Cor. No.2.

552.8 TO COR. NO. 6 identical with Cor. No. 2 Starlight lode

Sur.No.1949, a granite stone 3x12 x12 inches exposed with

a substantial mound of stone alongside; chiseled S 2 1949

O 6 3987 with cross on top for exact corner point.

Thence S. 32°-40'W.

377.6 TO THE PLACE OF BEGINNING. All corners are identical with

except as hereinbefore noted.

their respective locations, Variation at all corners

Variation at all corners 15°E.

LODE LINE

ments, the vein on this lode extends as follows from its

N.31 -43'E' 140 ft. and S: 31 243'W. 790.4 ft.

AREAS

OMAR lode

(2)1

Prescott National Forest, Yavapai County, State of Arizona.

EXPENDITURE OF FIVE HUNDRED DOLLARS

I hereby certify that the value of the labor and improvements made upon or for the benefit of this mlode by the claimant ornhis grantors is not less than five hundred dollars, and that said improvements consists of;

No.1 Discovery cut and tunnel, the mouth of tunnel brs. S.31°-43'W. 140 ft from North east center end, thence N.74°E. 27 ft to mouth of cut, also S.74°W. at 58 ft. center of winze 4x6x18 ft deep. at 70 ft center of winze 4x6x30 ft deep. at 93 feet face of tunnel, having a total length of cut 4x27x10 foot face, tunnel 93 ft and 48 ft of winze. (The cut and 73 ft of this tunnel is old work.)

Value cut (old work)

O.00

Value cut (old work) 0.00
Value tunnel 20 ft 200.00
"" " Winze 18 ft. 270.00
"" " 30 ft. 450.00

OTHER IMPROVEMENTS

None

ADJOINING CLAIMS

This survey is bounded on the east by the Comstock and Starlight lodes Sur.No. 1949 and U.S.Land, on the south by the Peerless and Jump Off lodes Sur.No. 1949 and on the west by the Clipper lode Sur.No. 1949, and on the north by the Galena lode Lot No.41, all lodes owned by the Dividend Consolidated Mining Company.

INSTRUMENT

This survey was made with a Lietz Light Mountain Transit No.9-9503. The courses were deflected from the true meridian as determined by solar observations both direct and with Saegmuller Solar attachment. The distances were measured with a 500 foot steel tape.

REPORT

The south 1/4 corner sec. 36 T.13 N.R.IW. is a pipe with metal cap properly marked, as described in the field notes of the survey.

Survey No. 1949

The corners adjoining this survey are stones properly set and chiseled with the number of the corner and survey. I do not agree with the courses and distances of lines of this survey.

Lot No. 41.

The corners adjoining this survey are stones properly set and chiseled with the number of the corner and name of claim. I do not agree with the course of line 1-2 of this survey.

The discrepancies found existing between the claim as marked by the location monuments and as described in the location notices are due to errors in the location notice.

The discrepancies between the lines of this survey and prior approved surveys are due to errors in the latter.

Owing to the fact that a Notary Public was not available, and to avoid delays and expense to obtain an acknowledgment of my assistants in filling out "Final Oath for Surveys, I took the acknowledgments of my assistants.

Million Coara

. The section of the

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

		running, measuring, and marking	
		tes of the survey of the mining cla	
		.8	
known as the	Omar Jode		
and showing the respe	ective capacities in which	h they acted.	
		Zeno H. Gamel	, Chainman.
		V.B.Crase	
	•		
		<u></u>	, Flagman.
	FINAL OATH	HS OF ASSISTANT	S.
We, Zen	no H.Gamel		
		, do solemnly swear that we assiste	
		tes Mineral Surveyor, in marking th	
the boundaries of the	mining claim of Eli	mer W.Wells	
known as the	Omar lode		
	rogaing field notes as he	aving been surveyed by said miners	al surveyor and under hi
		ll respects, to the best of our knowle	
and correctly executed	l, and the corner and bour	ndary monuments established accord	ling to law and the instruc
	United States Surveyor-	-General for Arizona	
tions furnished by the		Deno H Sa	
tions furnished by the		Grand Janes	mll, Chainman.
tions furnished by the		1/6 620	mll , Chainman.
tions furnished by the		Jenoth Ha	
tions furnished by the		1/3 620 38mp 30m	
tions furnished by the			Azman.
	ubs cr ibed and sworn to	Jemp Hom	Azman. , Flagman.
		by the above-named persons before	, Asman., Flagman.
	Subscribed and sworn to day of <u>August</u>	by the above-named persons before	Azman. , Flagman.

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, J.William waara	U. S. Mineral Surveyor, Office Cadastral
do solemnly swear that, in pursuance of instruc	tions received from the United States
do solemnly swear that, in pursuance of instructions at Phoenix, Arizona Surveyor General for	, dated
July 29th, 1925 , , I have	e, in strict conformity to the laws of the
United States, the official regulations and instru Office Cadastral Engineer	ctions thereunder, and the instructions
of said Surveyor-General, faithfully and correct	ly executed the survey of the Mining
Claim of Elmer W. Wells	
	, known as the
OMAR lode	,
situate in BIG RUG	Mining District,
Yavapai Count	
36Unsur, Township No. 13 N., Range N	
and designated as Survey No. 3987	, as represented
in the foregoing field notes, which accurately sho	ow the boundaries of said mining claim
as distinctly marked by monuments on the grou	
of the location certificate, which was received b	by me from the Surveyor General with
said instructions, and that all the corners of said	
petuated in strict accordance with the law, off	icial regulations and instructions there-
under; and I do further solemnly swear that t	the foregoing are the true and original
field notes of said survey and my report ther	ein, and that the labor expended and
improvements made upon said mining claim by	claimant or his grantors
are as therein fully stated, and that the characteristics	ter, extent, location, and itemized value
thereof are specified therein with particularity	and full detail, and that no portion of
said labor or improvements so credited to this	claim has been included in the estimate
of expenditures upon any other claim.	
of expenditures upon any course	
	William Waarn U. S. Mineral Surveyor.
	U. S. Mineral Surveyor.
Subscribed and sworn to by the said	J.William Waara
	e Notery Public
U. S. Mineral Surveyor, before me	this 13 th
day of August , 19 25	
	500,11.
My commission expires.	6.47 Horne
apr 26th 1927	Notary Public
6—1044	

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior, Office of District Cadastral Engineer. OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,	
January 4 , 19	26.
I, U. S. Surveyor-General for I. Office Cadastral Engineer for Ari	zona
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the su	ırvey
of the mining claim of	
Flmer W. Wells	
known as the OMAR lode	
situate in Big Bug	
Mining District, Yavapai County, Arizona	
in Section 36 Unsur., Township No. 13 N, Range No. 1 W.	, and
designated as Survey No. 3987 , has been correctly copied from the originals on i	
this office; that said Field Notes furnish such an accurate description of said mining claim as w	
incorporated into a patent, serve fully to identify the premises, and that such reference is made th	
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.	
And I further certify that five hundred dollars' worth of labor has been expended or imp	WOMO-
ments made upon said mining claim by claimant or his grantors, and that said improved consist of 1 tunnel and 2 winzes, total value \$920.	
*	
and that no portion of said labor or improvements has been included in the estimate of expend	itures
upon any other claim.	
I further certify that the plat thereof, filed in the U.S. Land Office at	
Arizona, is correct and in conformity with the foregoing Field Notes.	
John D. Adams,	
Office Cadastral Engineer for A: United States Surveyor-General for	rizons

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR

OFFICE OF U. S. SURVEYOR GENERAL

Office of District Cadastral Engineer.

		<u>Phoenix</u>	<u>Arizona,</u>	
			January 4	, 192 6.
I, U. S. Surveyor General for I,	Office Ca	adastral I	Engineer fo	r Arizona,
do hereby certify that the foregoing and	hereto attached	Field Notes	and Return of th	ne Survey of the
Mining Claim of				
		*		
situate in				
Yavapai				
in Section 36, Unsur, Tow	nship No	13 N.	, Range No.	
, designated as Su	rvey No		3987	
executed by	illiam Waar	a.		, U. S. Mineral
Surveyor, July 30 - Augus	t 5	, 192	5, under my in	structions dated
July 27	, 1925, hav	e been critical	ly examined ar	d the necessary
corrections and explanations made, and the	ne said Field No	tes and Retur	n, and the surve	y they describe,
are hereby approved. The certified copy	of the location	certificate file	d by the applica	ant for survey is
on file in this office and a true copy of sai				
		y or sure room	olon con unicate	is included and
made a part of the transcript of the field	notes.	0/8		
	•	plus) tdam	D
	Office	Cadastral	Engineer	for Arizona.